

{rokbox title=|Larva phyllosoma de Scyllarus :: Photo credit: Sandra Mallol (COB-IEO)|  
thumb=|images/stories/ieo/imagenespublicaciones/centro-oceanografico-baleares-phylosoma--  
scyllarus-mallol-et-al-2014-thumb.jpg|images/stories/ieo/imagenespublicaciones/centro-oceanografico-baleares-phylosoma--scyllarus-mallol-et-al-2014.jpg{/rokbox}

**Sandra Mallol**, Ángel Mateo-Ramírez, **Francisco Alemany**, Diego Álvarez-Berastegui, **David Díaz**, José Luis López-Jurado

,  
**Raquel Goñi**

, 2014.

[Abundance and distribution of scyllarid phyllosoma larvae \(Decapoda: Scyllaridae\) in the Balearic Sea \(Western Mediterranean\)](#)

. Journal of Crustacean Biology, Volume 34, Issue 4, pages 442–452. DOI:  
10.1163/1937240X-00002250

**Abstract:** The distribution, abundance, and interannual variation of scyllarid phyllosoma larvae were studied in waters of the Balearic Sea (Western Mediterranean) from plankton samples collected between 2001 and 2005. Over the study period, 342 phyllosomas were collected, all belonging to Scyllaridae.

*Scyllarus arctus* (Linnaeus, 1758) was the most abundant (89%), with representation of all developmental stages (I–X), except stage IX, plus two nistos.

*Scyllarus pygmaeus*

(Bate, 1888) phyllosoma included middle stages (IV–VII) and two final stages X. Finally, a stage II phyllosoma of

*Scyllarides latus*

(Latreille, 1802) was recorded for the first time in the Western Mediterranean. The majority of the phyllosomas were early stage *S. arctus* found in near shore stations, while advanced stages were common farther away from the coast, especially to the south of the Balearic Sea. That was also the case of

*S. pygmaeus*

, most of which stage V, observed to the southwest of the archipelago. Phyllosomas were scarce in low salinity (S minor than 37.2) water masses of recent Atlantic origin, and interannual differences in distribution reflected the intrusions of low salinity Atlantic water from the South.

**Keywords:** Phyllosoma, Western Mediterranean, spatial distribution, *Scyllarus arctus*, *Scyllarus pygmaeus*, Scyllaridae, *Scyllarides latus*